No. 9500137

THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

U.S. Dept. of Agriculture/Agri. Research Service
N.C. Agricultural Research Service

Whereas, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED, PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE ABOVE PURPOSES, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT. IN THE UNITED STATES SEED OF THIS VARIETY (I) SHALL BE SOLD BY VARIETY NAME ONLY AS A CLASS OF CERTIFIED SEED, (II) SHALL CONFORM TO THE NUMBER OF GENERATIONS SPECIFIED BY THE OWNER OF THE RIGHTS. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.) *(*Waived, except that this waiver shall not apply to breeder seed, foundation seed, labeling requirements, and blending limitations)*

SOYBEAN

'Holladay'

In Testimony Whereof, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D.C. this thirty-first day of January in the year of our Lord one thousand nine hundred and ninety-seven.

Attest:

Commissioner
Plant Variety Protection Office
Agricultural Marketing Service

Secretary of Agriculture

REPRODUCE LOCALLY. *Include form number and date on all reproductions.* FORM APPROVED - OMB NO. 0581-0055

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
SCIENCE DIVISION - PLANT VARIETY PROTECTION OFFICE

APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE

(Instructions and information collection burden statement on reverse)

The following statements are made in accordance with the Privacy Act of 1974 (5 U.S.C. 552a).

Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).

1. NAME OF APPLICANT(S) *(as it is to appear on the Certificate)*
(a) U.S. Dept. of Agriculture/Agri. Research Service
(b) N.C. Agricultural Research Service

2. TEMPORARY DESIGNATION OR EXPERIMENTAL NUMBER

3. VARIETY NAME
Holladay

4. ADDRESS *(Street and No., or R.F.D. No., City, State, and ZIP Code, and Country)*
Box 7643
NC State University
Raleigh, NC 27695-7643

5. TELEPHONE *(include area code)*
(919) 515-2718

6. FAX *(include area code)*

FOR OFFICIAL USE ONLY

PVPO NUMBER: 9500137

FILING DATE: APRIL 19, 1995

FEES RECEIVED — FILING AND EXAMINATION FEE: $150.00 / $300.00
DATE: 04/19/95 / 05/22/95
CERTIFICATION FEE: $ 300.00
DATE: JAN 7 1997

7. GENUS AND SPECIES NAME
Glycine max

8. FAMILY NAME *(Botanical)*
Leguminosae

9. CROP KIND NAME *(Common name)*
Soybean

10. IF THE APPLICANT NAMED IS NOT A "PERSON", GIVE FORM OF ORGANIZATION *(corporation, partnership, association, etc.) (Common name)*
Federal and State Governmental Agencies

11. IF INCORPORATED, GIVE STATE OF INCORPORATION

12. DATE OF INCORPORATION

13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, TO SERVE IN THIS APPLICATION AND RECEIVE ALL PAPERS
N.C. Foundation Seed Producers, Inc.
Michael W. Baker
8220 Riley Hill Rd.
Zebulon, NC 27597-8773

14. TELEPHONE *(include area code)*
(919) 269-5592

15. FAX *(include area code)*
(919) 269-5593

16. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED *(Follow instructions on reverse)*

a. ☒ Exhibit A. Origin and Breeding History of the Variety
b. ☒ Exhibit B. Statement of Distinctness
c. ☒ Exhibit C. Objective Description of the Variety
d. ☒ Exhibit D. Additional Description of the Variety
e. ☒ Exhibit E. Statement of the Basis of the Applicant's Ownership
f. ☒ Voucher Sample *(2,500 viable untreated seeds or, for tuber propagated varieties verification that tissue culture will be deposited and maintained in a public repository)*
g. ☒ Filing and Examination Fee ($2,450), made payable to "Treasurer of the United States" *(Mail to PVPO)*

17. DOES THE APPLICANT SPECIFY THAT SEED OF THIS VARIETY BE SOLD BY VARIETY NAME ONLY, AS A CLASS OF CERTIFIED SEED? *(See Section 83(a) of the Plant Variety Protection Act)?*
☒ YES *(If "yes," answer items 18 and 19 below)* ☐ NO *(If "no," go to item 20)*

18. DOES THE APPLICANT SPECIFY THAT SEED OF THIS VARIETY BE LIMITED AS TO NUMBER OF GENERATIONS?
☒ YES ☐ NO

19. IF "YES" TO ITEM 18, WHICH CLASSES OF PRODUCTION BEYOND BREEDER SEED?
☒ FOUNDATION ☒ REGISTERED ☒ CERTIFIED

20. HAS THE VARIETY OR A HYBRID PRODUCED FROM THE VARIETY BEEN RELEASED, USED, OFFERED FOR SALE, OR MARKETED IN THE U.S. OR OTHER COUNTRIES?
☒ YES *(If "yes," give names of countries and dates)* ☐ NO
USA, May 1994

21. The applicant(s) declare that a viable sample of basic seed of the variety will be furnished with application and will be replenished upon request in accordance with such regulations as may be applicable, or for a tuber propagated variety a tissue culture will be deposited in a public repository and maintained for the duration of the certificate.

The undersigned applicant(s) is(are) the owner(s) of this sexually reproduced or tuber propagated plant variety, and believe(s) that the variety is new, distinct, uniform, and stable as required in Section 41, and is entitled to protection under the provisions of Section 42 of the Plant Variety Protection Act.

Applicant(s) is(are) informed that false representation herein can jeopardize protection and result in penalties.

SIGNATURE OF APPLICANT *(Owner(s))*		SIGNATURE OF APPLICANT *(Owner(s))*	
Johnny C. Wynne		K D Murrell for /s/ R. D. Plowman	
NAME *(Please print or type)*		NAME *(Please print or type)*	
Johnny C. Wynne		/s/ K. D. Murrell	
CAPACITY OR TITLE	DATE	CAPACITY OR TITLE	DATE
Director, NCARS	4-26-95	Acting Administrator	MAY 25 1995

SD-470 (04-95) *(Previous editions are to be destroyed)*

(See reverse for instructions and information collection burden statement)

Origin and Breeding History of the Variety

14 a. 1. Holladay (N85-578) was developed by the USDA-ARS cooperating with NCARS. The line is an F_6 selection from the cross of N77-179 x 'Johnston'. N77-179 is a breeding line selection from the cross N70-1549 x N72-3213. Parents of N72-3213 were D67-B5 (a sib of the cultivar, Pickett) and N64-2451 (a sib of the cultivar, Ransom). Parents of N70-1549 were the cultivar, Dare, and D65-6765. The parents D65-6765 were D58-3358, a Jackson backcross derivative (Jackson(4) x D49-2491), and D59-9289. Parents of D57-9289 were D51-4877, (a sib of the cultivar, Hood), and D55-488, (a sib of the cultivar, Braxton).

2. The initial and subsequent selection was conducted in North Carolina. The final selection was made in 1985. Yield evaluations were made the following year in local preliminary trials in North Carolina. The line was entered in the regional preliminary trials (8 locations) in 1987 and in regional uniform tests in 1988-1990. Breeders seed was provided to the N.C. Foundation seed program in 1990.

Criteria = seed yield, resistance to lodging, and seed quality MAS 10/9/96 (as per 11/22 letter)

3. Purple flowered or tawny pubescent plants were occasionally found at a very low frequency due to seed mixture. These were rogued prior to harvest. Under certain environmental conditions (as yet unidentified), as many as 0.2% of the plants can be significantly taller than average.

4. Nine years of testing and increase have demonstrated no instability.

14 b. Holladay (N85-578) most closely resembles 'Dare'. It differs from Dare by having purple flowers, imperfect black hila, shorter height (15% shorter than Dare), and larger seeds (9% larger than Dare).

14 c. See attached form.

14 d. Holladay is a short variety. It averaged 27 inches in height in 1988-1990 USDA Uniform Tests. However, under certain environmental conditions (as yet undefined), as many as 0.2% of the plants can be significantly taller than average.

PV# 9500137

SOYBEAN
'Holladay'

NOVELTY STATEMENT

'Holladay' is most similar to 'Dare'; however, 'Holladay' has purple flowers and seeds with black hila whereas 'Dare' has white flowers and seeds with buff hila.

FORM APPROVED: OMB NO. 0581-0055

EXHIBIT C
(Soybean)

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
LIVESTOCK, MEAT, GRAIN & SEED DIVISION
PLANT VARIETY PROTECTION OFFICE
BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY
SOYBEAN (Glycine max L.)

NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME
a) U.S. Dept. of Agriculture/Agri.Res.Svc. b) N.C. Agricultural Research Service		"Holladay"

ADDRESS *(Street and No., or R.F.D. No., City, State, and Zip Code)*	FOR OFFICIAL USE ONLY PVPO NUMBER
Box 7643 N.C. State University Raleigh, NC 27695-7643	9500137

Choose the appropriate response which characterizes the variety in the features described below. When the number of significant digits in your answer is fewer than the number of boxes provided, place a zero in the first box when number is 9 or less (e.g., [0][9]).

1. SEED SHAPE:

[1]



1 = Spherical (L/W, L/T, and T/W ratios = < 1.2)
2 = Spherical Flattened (L/W ratio > 1.2; L/T ratio = < 1.2)
3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)
4 = Elongate Flattened (L/T ratio > 1.2; T/W > 1.2)

2. SEED COAT COLOR: (Mature Seed)

[X] 1 = Yellow 2 = Green 3 = Brown 4 = Black 5 = Other *(Specify)* _____

3. SEED COAT LUSTER: (Mature Hand Shelled Seed)

[2] 1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebsoy'; 'Gasoy 17')

4. SEED SIZE: (Mature Seed)

[1][5] Grams per 100 seeds

5. HILUM COLOR: (Mature Seed)

[5] 1 = Buff 2 = Yellow 3 = Brown 4 = Gray 5 = Imperfect Black 6 = Black 7 = Other *(Specify)* _____

6. COTYLEDON COLOR: (Mature Seed)

[1] 1 = Yellow 2 = Green

7. SEED PROTEIN PEROXIDASE ACTIVITY:

[1] 1 = Low 2 = High

8. SEED PROTEIN ELECTROPHORETIC BAND:

[ ] 1 = Type A ($SP1^a$) 2 = Type B ($SP1^b$)

9. HYPOCOTYL COLOR:

[3] 1 = Green only ('Evans'; 'Davis') 2 = Green with bronze band below cotyledons ('Woodworth'; 'Tracy')
3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71')
4 = Dark Purple extending to unifoliate leaves ('Hodgson'; 'Coker Hampton 266A')

10. LEAFLET SHAPE:

[3] 1 = Lanceolate 2 = Oval 3 = Ovate 4 = Other *(Specify)* _____

11. LEAFLET SIZE:

[2] 1 = Small ('Amsoy 71'; 'A5312') 2 = Medium ('Corsoy 79'; 'Gasoy 17') 3 = Large ('Crawford'; 'Tracy')

12. LEAF COLOR:

[2] 1 = Light Green ('Weber'; 'York') 2 = Medium Green ('Corsoy 79'; 'Braxton') 3 = Dark Green ('Gnome'; 'Tracy')

13. FLOWER COLOR:

[2] 1 = White 2 = Purple 3 = White with purple throat

14. POD COLOR:

[1] 1 = Tan 2 = Brown 3 = Black

15. PLANT PUBESCENCE COLOR:

[1] 1 = Gray 2 = Brown (Tawny)

16. PLANT TYPES:

[1] 1 = Slender ('Essex'; 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxton') 3 = Bushy ('Gnome'; 'Govan')

17. PLANT HABIT:

[1] 1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will') 3 = Indeterminate ('Nebsoy'; 'Improved Pelican')

18. MATURITY GROUP:

[0 8] 1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV 8 = V 9 = VI 10 = VII 11 = VIII 12 = IX 13 = X

19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)

BACTERIAL DISEASES:

[0] Bacterial Pustule *(Xanthomonas phaseoli* var. *sojensis)*

[0] Bacterial Blight *(Pseudomonas glycinea)*

[0] Wildfire *(Pseudomonas tabaci)*

FUNGAL DISEASES:

[0] Brown Spot *(Septoria glycines)*

Frogeye Leaf Spot *(Cercospora sojina)*

[0] Race 1 [0] Race 2 [0] Race 3 [0] Race 4 [0] Race 5 [2] Other *(Specify)* Field observation - race unknown

[0] Target Spot *(Corynespora cassiicola)*

[0] Downy Mildew *(Peronospora trifoliorum* var. *manshurica)*

[0] Powdery Mildew *(Microsphaera diffusa)*

[0] Brown Stem Rot *(Cephalosporium gregatum)*

[1] Stem Canker *(Diaporthe phaseolorum* var. *caulivora)*

19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) (Continued)

9500137

FUNGAL DISEASES: (Continued)

[0] Pod and Stem Blight *(Diaporthe phaseolorum* var; *sojae)*

[0] Purple Seed Stain *(Cercospora kikuchii)*

[0] Rhizoctonia Root Rot *(Rhizoctonia solani)*

Phytophthora Rot *(Phytophthora megasperma* var. *sojae)*

[0] Race 1 [0] Race 2 [1] Race 3 [0] Race 4 [0] Race 5 [0] Race 6 [0] Race 7

[0] Race 8 [0] Race 9 [0] Other *(Specify)* _____

VIRAL DISEASES:

[0] Bud Blight (Tobacco Ringspot Virus)

[0] Yellow Mosaic (Bean Yellow Mosaic Virus)

[0] Cowpea Mosaic (Cowpea Chlorotic Virus)

[0] Pod Mottle (Bean Pod Mottle Virus)

[2] Seed Mottle (Soybean Mosaic Virus)

NEMATODE DISEASES:

Soybean Cyst Nematode *(Heterodera glycines)*

[1] Race 1 [1] Race 2 [1] Race 3 [1] Race 4 [ ] Other *(Specify)* _____

[0] Lance Nematode *(Hoplolaimus Colombus)*

[1] Southern Root Knot Nematode *(Meloidogyne incognita)*

[0] Northern Root Knot Nematode *(Meloidogyne Hapla)*

[1] Peanut Root Knot Nematode *(Meloidogyne arenaria)*

[0] Reniform Nematode *(Rotylenchulus reniformis)*

[ ] OTHER DISEASE NOT ON FORM *(Specify)*: _____

20. PHYSIOLOGICAL RESPONSES: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)

[0] Iron Chlorosis on Calcareous Soil

[2] Other *(Specify)* Soil Chloride

21. INSECT REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)

[0] Mexican Bean Beetle *(Epilachna varivestis)*

[0] Potato Leaf Hopper *(Empoasca fabae)*

[ ] Other *(Specify)* _____

22. INDICATE WHICH VARIETY MOST CLOSELY RESEMBLES THAT SUBMITTED.

CHARACTER	NAME OF VARIETY	CHARACTER	NAME OF VARIETY
Plant Shape	Essex	Seed Coat Luster	Gasoy 17
Leaf Shape	Dare.	Seed Size	Dare
Leaf Color	Dare	Seed Shape	Dare
Leaf Size	Dare	Seedling Pigmentation	Essex

9500132

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF DAYS MATURITY	PLANT LODGING SCORE	CM PLANT HEIGHT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100 SEEDS	NO. SEEDS/ POD
				CM Width	CM Length	% Protein	% Oil		
Submitted Holladay	143	1.5	73	8.2	14.0	37.2	23.4	16.5	2.1
Dare Name of Similar Variety	143	2.0	86	8.5	12.5	37.4	23.7	15.1	2.4

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A_2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

SOYBEAN

HOLLADAY

Exhibit E. Statement of the Basis of Applicant's Ownership

Holladay was developed by Dr. Joe W. Burton, Research Geneticist with the U.S. Department of Agriculture, Agricultural Research Service (USDA-ARS) and Professor of Crop Science with the N.C. Agricultural Research Service (NCARS), College of Agriculture and Life Sciences, NC State University. Holladay is owned exclusively by the USDA-ARS and the NCARS who retain all rights to its use.